


Mortality**Oesophagus**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|-------|-------|-----|-------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 0 | 2 | 37 | 29 | 68 | 14 |
| | 2001 - 2005 | 0 | 1 | 24 | 35 | 60 | 12 |
| | 2006 - 2010 | 0 | 6 | 27 | 40 | 73 | 15 |
| | 2011 - 2015 | 0 | 2 | 30 | 41 | 73 | 15 |
| | 2016 - 2019 | 0 | 0 | 18 | 46 | 64 | 16 |
| Women | 1996 - 2000 | 0 | 1 | 7 | 12 | 20 | 4 |
| | 2001 - 2005 | 0 | 1 | 7 | 12 | 20 | 4 |
| | 2006 - 2010 | 0 | 0 | 1 | 12 | 13 | 3 |
| | 2011 - 2015 | 0 | 1 | 6 | 15 | 22 | 4 |
| | 2016 - 2019 | 0 | 0 | 5 | 13 | 18 | 5 |
| Total | Total | 0 | 14 | 162 | 255 | 431 | 18 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|-------|-------|-------|------|
| Men | 1996 - 2000 | 0.0 | 0.6 | 20.8 | 43.4 |
| | 2001 - 2005 | 0.0 | 0.3 | 12.6 | 46.0 |
| | 2006 - 2010 | 0.0 | 1.8 | 13.3 | 43.4 |
| | 2011 - 2015 | 0.0 | 0.6 | 13.4 | 37.6 |
| | 2016 - 2019 | 0.0 | 0.0 | 9.3 | 45.9 |
| Women | 1996 - 2000 | 0.0 | 0.3 | 3.6 | 9.9 |
| | 2001 - 2005 | 0.0 | 0.3 | 3.4 | 9.1 |
| | 2006 - 2010 | 0.0 | 0.0 | 0.5 * | 8.4 |
| | 2011 - 2015 | 0.0 | 0.3 | 2.6 | 9.6 |
| | 2016 - 2019 | 0.0 | 0.0 | 2.5 | 9.5 |
| Men | Annual trend | 0.653 | 0.970 | 0.998 | |
| Women | Annual trend | 0.663 | 0.980 | 0.999 | |


**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | C.I. 95% |
|-------|-------------|----------|-----------|
| Men | 1996 - 2000 | 7.8 | 5.9 - 9.7 |
| | 2001 - 2005 | 6.0 | 4.4 - 7.5 |
| | 2006 - 2010 | 6.5 | 4.9 - 8.0 |
| | 2011 - 2015 | 5.6 | 4.3 - 6.9 |
| | 2016 - 2019 | 5.2 | 3.9 - 6.5 |
| Women | 1996 - 2000 | 1.6 | 0.8 - 2.3 |
| | 2001 - 2005 | 1.3 | 0.7 - 2.0 |
| | 2006 - 2010 | 0.6 | 0.2 - 1.0 |
| | 2011 - 2015 | 1.2 | 0.6 - 1.7 |
| | 2016 - 2019 | 1.1 | 0.5 - 1.7 |
| Men | APC | -2.018 * | |
| Women | APC | -2.073 | |

**Age specific rates - 2 last periods compared**

| Age | Men | Men | Women | Women |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 0.0 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30- | 0.0 | 0.0 | 0.0 | 0.0 |
| 35- | 0.0 | 0.0 | 0.0 | 0.0 |
| 40- | 0.0 | 0.0 | 1.5 | 0.0 |
| 45- | 2.7 | 0.0 | 0.0 | 0.0 |
| 50- | 1.5 | 1.6 | 1.5 | 3.3 |
| 55- | 12.4 | 1.9 | 1.8 | 1.9 |
| 60- | 19.7 | 16.3 | 3.7 | 2.3 |
| 65- | 24.7 | 23.7 | 3.7 | 2.4 |
| 70- | 12.0 | 38.8 | 4.2 | 4.8 |
| 75- | 56.2 | 61.7 | 5.0 | 8.5 |
| 80- | 34.4 | 39.5 | 3.2 | 7.3 |
| 85+ | 73.4 | 40.7 | 27.1 | 18.4 |
| Crude rate | 8.7 | 9.3 | 2.5 | 2.5 |




Mortality**Stomach**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|-------|-------|-----|-------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 1 | 5 | 44 | 91 | 141 | 28 |
| | 2001 - 2005 | 0 | 7 | 32 | 56 | 95 | 19 |
| | 2006 - 2010 | 0 | 4 | 28 | 62 | 94 | 19 |
| | 2011 - 2015 | 0 | 1 | 28 | 82 | 111 | 22 |
| | 2016 - 2019 | 0 | 4 | 23 | 37 | 64 | 16 |
| Women | 1996 - 2000 | 1 | 0 | 13 | 81 | 95 | 19 |
| | 2001 - 2005 | 0 | 4 | 18 | 76 | 98 | 20 |
| | 2006 - 2010 | 0 | 3 | 15 | 56 | 74 | 15 |
| | 2011 - 2015 | 0 | 3 | 16 | 57 | 76 | 15 |
| | 2016 - 2019 | 0 | 5 | 8 | 44 | 57 | 14 |
| Total | Total | 2 | 36 | 225 | 642 | 905 | 38 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|------|-------|-------|---------|
| Men | 1996 - 2000 | 0.6 | 1.5 | 24.7 | 136.1 |
| | 2001 - 2005 | 0.0 | 2.1 | 16.8 | 73.6 ** |
| | 2006 - 2010 | 0.0 | 1.2 | 13.8 | 67.3 |
| | 2011 - 2015 | 0.0 | 0.3 | 12.5 | 75.3 |
| | 2016 - 2019 | 0.0 | 1.5 | 11.9 | 36.9 ** |
| Women | 1996 - 2000 | 0.7 | 0.0 | 6.7 | 66.8 |
| | 2001 - 2005 | 0.0 | 1.2 * | 8.8 | 57.9 |
| | 2006 - 2010 | 0.0 | 0.9 | 7.0 | 39.0 * |
| | 2011 - 2015 | 0.0 | 0.9 | 6.9 | 36.5 |
| | 2016 - 2019 | 0.0 | 1.9 | 4.0 | 32.0 |
| Men | Annual trend | | 0.962 | 0.966 | 0.950 |
| Women | Annual trend | | 1.617 | 0.975 | 0.962 |


**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | C.I. 95% |
|-------|-------------|-----------|-------------|
| Men | 1996 - 2000 | 15.5 | 12.9 - 18.0 |
| | 2001 - 2005 | 9.5 | 7.5 - 11.4 |
| | 2006 - 2010 | 7.7 | 6.2 - 9.3 |
| | 2011 - 2015 | 7.9 | 6.4 - 9.4 |
| | 2016 - 2019 | 5.5 | 4.1 - 7.0 |
| Women | 1996 - 2000 | 5.7 | 4.4 - 6.9 |
| | 2001 - 2005 | 5.7 | 4.5 - 7.0 |
| | 2006 - 2010 | 4.0 | 3.0 - 5.0 |
| | 2011 - 2015 | 3.7 | 2.7 - 4.6 |
| | 2016 - 2019 | 3.4 | 2.3 - 4.4 |
| Men | APC | -4.499 ** | |
| Women | APC | -2.828 ** | |

**Age specific rates - 2 last periods compared**

| Age | Men | Men | Women | Women |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 0.0 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30- | 2.0 | 0.0 | 0.0 | 2.6 |
| 35- | 0.0 | 2.4 | 0.0 | 2.3 |
| 40- | 0.0 | 2.1 | 0.0 | 4.0 |
| 45- | 0.0 | 3.5 | 4.1 | 1.7 |
| 50- | 5.9 | 4.9 | 0.0 | 0.0 |
| 55- | 7.1 | 15.4 | 7.0 | 9.6 |
| 60- | 15.7 | 2.3 | 9.3 | 2.3 |
| 65- | 24.7 | 28.9 | 12.9 | 4.8 |
| 70- | 48.1 | 19.4 | 8.3 | 14.4 |
| 75- | 74.9 | 30.9 | 25.2 | 11.3 |
| 80- | 103.2 | 49.4 | 47.7 | 32.7 |
| 85+ | 113.5 | 74.7 | 75.9 | 76.5 |
| Crude rate | 13.2 | 9.3 | 8.6 | 7.9 |




Mortality**Colon, Rectum**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|-------|-------|-------|-------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 0 | 3 | 69 | 131 | 203 | 41 |
| | 2001 - 2005 | 0 | 3 | 62 | 113 | 178 | 36 |
| | 2006 - 2010 | 0 | 3 | 79 | 138 | 220 | 44 |
| | 2011 - 2015 | 0 | 7 | 65 | 163 | 235 | 47 |
| | 2016 - 2019 | 0 | 5 | 41 | 119 | 165 | 41 |
| Women | 1996 - 2000 | 0 | 11 | 45 | 133 | 189 | 38 |
| | 2001 - 2005 | 0 | 4 | 42 | 131 | 177 | 35 |
| | 2006 - 2010 | 0 | 3 | 57 | 142 | 202 | 40 |
| | 2011 - 2015 | 0 | 5 | 46 | 156 | 207 | 41 |
| | 2016 - 2019 | 0 | 5 | 39 | 117 | 161 | 40 |
| Total | Total | 0 | 49 | 545 | 1'343 | 1'937 | 81 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|------|-------|-------|---------|
| Men | 1996 - 2000 | 0.0 | 0.9 | 38.7 | 195.9 |
| | 2001 - 2005 | 0.0 | 0.9 | 32.5 | 148.5 * |
| | 2006 - 2010 | 0.0 | 0.9 | 38.8 | 149.8 |
| | 2011 - 2015 | 0.0 | 2.0 | 29.1 | 149.6 |
| | 2016 - 2019 | 0.0 | 1.9 | 21.2 | 118.8 |
| Women | 1996 - 2000 | 0.0 | 3.2 | 23.3 | 109.6 |
| | 2001 - 2005 | 0.0 | 1.2 | 20.5 | 99.8 |
| | 2006 - 2010 | 0.0 | 0.9 | 26.5 | 99.0 |
| | 2011 - 2015 | 0.0 | 1.5 | 19.9 | 99.9 |
| | 2016 - 2019 | 0.0 | 1.9 | 19.6 | 85.2 |
| Men | Annual trend | | 1.047 | 0.974 | 0.980 |
| Women | Annual trend | | 0.983 | 0.993 | 0.990 |


**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | | C.I. 95% | |
|-------|-------------|-----------|-------|----------|-------|
| | | Men | Women | Men | Women |
| Men | 1996 - 2000 | 22.0 | 19.0 | 25.1 | |
| | 2001 - 2005 | 17.2 | 14.6 | 19.7 | |
| | 2006 - 2010 | 18.4 | 15.9 | 20.9 | |
| | 2011 - 2015 | 17.2 | 14.9 | 19.4 | |
| | 2016 - 2019 | 13.0 | 10.9 | 15.0 | |
| Women | 1996 - 2000 | 13.1 | 11.0 | 15.1 | |
| | 2001 - 2005 | 10.7 | 8.9 | 12.4 | |
| | 2006 - 2010 | 11.9 | 10.0 | 13.7 | |
| | 2011 - 2015 | 10.2 | 8.6 | 11.8 | |
| | 2016 - 2019 | 9.8 | 8.1 | 11.5 | |
| Men | APC | -2.014 ** | | | |
| Women | APC | -1.343 * | | | |

**Age specific rates - 2 last periods compared**

| Age | Men | | Women | |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 0.0 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 2.2 | 0.0 |
| 30- | 2.0 | 0.0 | 0.0 | 0.0 |
| 35- | 3.6 | 0.0 | 1.7 | 0.0 |
| 40- | 1.5 | 2.1 | 0.0 | 2.0 |
| 45- | 4.0 | 7.0 | 4.1 | 6.9 |
| 50- | 10.4 | 8.2 | 6.0 | 8.3 |
| 55- | 24.7 | 13.5 | 14.1 | 9.6 |
| 60- | 41.3 | 35.0 | 28.0 | 27.1 |
| 65- | 47.4 | 36.8 | 35.0 | 40.5 |
| 70- | 86.6 | 61.0 | 35.3 | 48.0 |
| 75- | 112.3 | 85.8 | 63.0 | 53.6 |
| 80- | 191.7 | 187.7 | 114.5 | 94.3 |
| 85+ | 347.1 | 230.8 | 211.3 | 159.1 |
| Crude rate | 28.0 | 24.0 | 23.3 | 22.2 |




Mortality**Liver & Intrahepatic Bile Ducts**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|-------|-------|-----|-------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 0 | 6 | 65 | 83 | 154 | 31 |
| | 2001 - 2005 | 0 | 10 | 76 | 93 | 179 | 36 |
| | 2006 - 2010 | 0 | 8 | 69 | 96 | 173 | 35 |
| | 2011 - 2015 | 1 | 6 | 71 | 116 | 194 | 39 |
| | 2016 - 2019 | 0 | 1 | 44 | 123 | 168 | 42 |
| Women | 1996 - 2000 | 0 | 1 | 13 | 44 | 58 | 12 |
| | 2001 - 2005 | 0 | 0 | 9 | 44 | 53 | 11 |
| | 2006 - 2010 | 0 | 1 | 16 | 55 | 72 | 14 |
| | 2011 - 2015 | 0 | 2 | 9 | 59 | 70 | 14 |
| | 2016 - 2019 | 0 | 0 | 9 | 47 | 56 | 14 |
| Total | Total | 1 | 35 | 381 | 760 | 1'177 | 49 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|-------|-------|-------|-------|
| Men | 1996 - 2000 | 0.0 | 1.8 | 36.5 | 124.1 |
| | 2001 - 2005 | 0.0 | 3.0 | 39.8 | 122.2 |
| | 2006 - 2010 | 0.0 | 2.4 | 33.9 | 104.2 |
| | 2011 - 2015 | 0.6 | 1.8 | 31.8 | 106.5 |
| | 2016 - 2019 | 0.0 | 0.4 | 22.7 | 122.8 |
| Women | 1996 - 2000 | 0.0 | 0.3 | 6.7 | 36.3 |
| | 2001 - 2005 | 0.0 | 0.0 | 4.4 | 33.5 |
| | 2006 - 2010 | 0.0 | 0.3 | 7.4 | 38.4 |
| | 2011 - 2015 | 0.0 | 0.6 | 3.9 | 37.8 |
| | 2016 - 2019 | 0.0 | 0.0 | 4.5 | 34.2 |
| Men | Annual trend | 0.930 | 0.977 | 0.997 | |
| Women | Annual trend | 0.825 | 0.982 | 1.000 | |


**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | C.I. 95% |
|-------|-------------|-----------|-------------|
| Men | 1996 - 2000 | 17.3 | 14.5 - 20.0 |
| | 2001 - 2005 | 17.8 | 15.1 - 20.4 |
| | 2006 - 2010 | 15.0 | 12.7 - 17.3 |
| | 2011 - 2015 | 14.9 | 12.7 - 17.0 |
| | 2016 - 2019 | 13.4 | 11.3 - 15.5 |
| Women | 1996 - 2000 | 3.9 | 2.8 - 5.0 |
| | 2001 - 2005 | 3.1 | 2.2 - 3.9 |
| | 2006 - 2010 | 4.1 | 3.0 - 5.1 |
| | 2011 - 2015 | 3.3 | 2.4 - 4.2 |
| | 2016 - 2019 | 3.2 | 2.3 - 4.1 |
| Men | APC | -1.612 ** | |
| Women | APC | -0.955 | |

**Age specific rates - 2 last periods compared**

| Age | Men | Men | Women | Women |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 2.4 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30- | 0.0 | 0.0 | 2.0 | 0.0 |
| 35- | 0.0 | 0.0 | 1.7 | 0.0 |
| 40- | 0.0 | 0.0 | 0.0 | 0.0 |
| 45- | 8.0 | 1.8 | 0.0 | 0.0 |
| 50- | 17.8 | 13.1 | 1.5 | 1.7 |
| 55- | 31.8 | 11.5 | 3.5 | 3.8 |
| 60- | 31.5 | 35.0 | 3.7 | 4.5 |
| 65- | 51.5 | 39.4 | 7.4 | 9.5 |
| 70- | 93.9 | 88.7 | 16.6 | 26.4 |
| 75- | 109.2 | 113.2 | 27.7 | 28.2 |
| 80- | 127.8 | 143.2 | 79.5 | 39.9 |
| 85+ | 106.8 | 196.8 | 40.6 | 45.9 |
| Crude rate | 23.1 | 24.4 | 7.9 | 7.7 |




Mortality**Gallbladder & Extrahepatic Bile Tract**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|----------|-----------|------------|------------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 0 | 0 | 9 | 17 | 26 | 5 |
| | 2001- 2005 | 0 | 0 | 7 | 9 | 16 | 3 |
| | 2006- 2010 | 0 | 0 | 8 | 15 | 23 | 5 |
| | 2011- 2015 | 0 | 0 | 5 | 21 | 26 | 5 |
| | 2016- 2019 | 0 | 1 | 6 | 13 | 20 | 5 |
| Women | 1996 - 2000 | 0 | 0 | 9 | 21 | 30 | 6 |
| | 2001- 2005 | 0 | 0 | 12 | 15 | 27 | 5 |
| | 2006- 2010 | 0 | 0 | 10 | 32 | 42 | 8 |
| | 2011- 2015 | 0 | 0 | 11 | 25 | 36 | 7 |
| | 2016- 2019 | 0 | 2 | 6 | 26 | 34 | 9 |
| Total | Total | 0 | 3 | 83 | 194 | 280 | 12 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|------|------------|------------|-------------|
| Men | 1996 - 2000 | 0.0 | 0.0 | 5.0 | 25.4 |
| | 2001 - 2005 | 0.0 | 0.0 | 3.7 | 11.8 |
| | 2006 - 2010 | 0.0 | 0.0 | 3.9 | 16.3 |
| | 2011 - 2015 | 0.0 | 0.0 | 2.2 | 19.3 |
| | 2016 - 2019 | 0.0 | 0.4 | 3.1 | 13.0 |
| Women | 1996 - 2000 | 0.0 | 0.0 | 4.7 | 17.3 |
| | 2001 - 2005 | 0.0 | 0.0 | 5.9 | 11.4 |
| | 2006 - 2010 | 0.0 | 0.0 | 4.6 | 22.3 |
| | 2011 - 2015 | 0.0 | 0.0 | 4.8 | 16.0 |
| | 2016 - 2019 | 0.0 | 0.8 | 3.0 | 18.9 |
| Men | Annual trend | | 1.525 | 0.971 | 0.983 |
| Women | Annual trend | | 1.568 | 0.979 | 1.010 |


**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | C.I. 95% |
|-------|-------------|---------------|-----------|
| Men | 1996 - 2000 | 2.9 | 1.8 - 4.0 |
| | 2001 - 2005 | 1.6 | 0.8 - 2.4 |
| | 2006 - 2010 | 1.9 | 1.1 - 2.7 |
| | 2011 - 2015 | 1.7 | 1.0 - 2.4 |
| | 2016 - 2019 | 1.6 | 0.9 - 2.4 |
| Women | 1996 - 2000 | 2.2 | 1.3 - 3.0 |
| | 2001 - 2005 | 1.8 | 1.1 - 2.6 |
| | 2006 - 2010 | 2.4 | 1.6 - 3.2 |
| | 2011 - 2015 | 2.0 | 1.3 - 2.7 |
| | 2016 - 2019 | 2.1 | 1.3 - 2.9 |
| Men | APC | -0.067 | |
| Women | APC | -0.890 | |

**Age specific rates - 2 last periods compared**

| Age | Men | Men | Women | Women |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 0.0 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30- | 0.0 | 0.0 | 0.0 | 0.0 |
| 35- | 0.0 | 0.0 | 0.0 | 2.3 |
| 40- | 0.0 | 0.0 | 0.0 | 0.0 |
| 45- | 0.0 | 1.8 | 0.0 | 1.7 |
| 50- | 1.5 | 1.6 | 3.0 | 3.3 |
| 55- | 0.0 | 1.9 | 5.3 | 1.9 |
| 60- | 0.0 | 2.3 | 3.7 | 2.3 |
| 65- | 8.2 | 7.9 | 7.4 | 4.8 |
| 70- | 16.8 | 2.8 | 8.3 | 12.0 |
| 75- | 6.2 | 17.2 | 15.1 | 14.1 |
| 80- | 39.3 | 14.8 | 9.5 | 21.8 |
| 85+ | 26.7 | 27.1 | 32.5 | 30.6 |
| Crude rate | 3.1 | 2.9 | 4.1 | 4.7 |




Mortality**Pancreas**

Ticino


Number of deaths

| Sex | Period | Age group | | | | Total | Yearly average |
|-------|-------------|-----------|-------|-------|-----|-------|----------------|
| | | 0-19 | 20-49 | 50-69 | 70+ | | |
| Men | 1996 - 2000 | 0 | 11 | 42 | 57 | 110 | 22 |
| | 2001 - 2005 | 0 | 4 | 58 | 73 | 135 | 27 |
| | 2006 - 2010 | 0 | 8 | 51 | 86 | 145 | 29 |
| | 2011 - 2015 | 0 | 8 | 51 | 82 | 141 | 28 |
| | 2016 - 2019 | 0 | 3 | 53 | 97 | 153 | 38 |
| Women | 1996 - 2000 | 0 | 4 | 39 | 93 | 136 | 27 |
| | 2001 - 2005 | 0 | 5 | 40 | 121 | 166 | 33 |
| | 2006 - 2010 | 0 | 2 | 35 | 122 | 159 | 32 |
| | 2011 - 2015 | 0 | 4 | 38 | 121 | 163 | 33 |
| | 2016 - 2019 | 0 | 5 | 31 | 120 | 156 | 39 |
| Total | Total | 0 | 54 | 438 | 972 | 1'464 | 61 |

**Crude rates by age-group & mean annual trends**


*, **: Significant variations cf. Mantel-Haenszel test (95%, 99%)
Signification of mean annual trends not computed

| Sex | Period | 0-19 | 20-49 | 50-69 | 70+ |
|-------|--------------|------|-------|-------|-------|
| Men | 1996 - 2000 | 0.0 | 3.3 | 23.6 | 85.2 |
| | 2001 - 2005 | 0.0 | 1.2 | 30.4 | 96.0 |
| | 2006 - 2010 | 0.0 | 2.4 | 25.0 | 93.3 |
| | 2011 - 2015 | 0.0 | 2.3 | 22.8 | 75.3 |
| | 2016 - 2019 | 0.0 | 1.1 | 27.3 | 96.8 |
| Women | 1996 - 2000 | 0.0 | 1.2 | 20.2 | 76.7 |
| | 2001 - 2005 | 0.0 | 1.5 | 19.6 | 92.2 |
| | 2006 - 2010 | 0.0 | 0.6 | 16.3 | 85.1 |
| | 2011 - 2015 | 0.0 | 1.2 | 16.4 | 77.5 |
| | 2016 - 2019 | 0.0 | 1.9 | 15.6 | 87.3 |
| Men | Annual trend | | 0.971 | 1.000 | 1.000 |
| Women | Annual trend | | 1.015 | 0.986 | 1.002 |

**European standardized rate by period**

*, **: The Annual Percent Change (APC) is significantly different from zero ($p<0.05$, $p<0.01$).

| Sex | Period | Ticino | C.I. 95% |
|-------|-------------|--------|-------------|
| Men | 1996 - 2000 | 12.5 | 10.1 - 14.8 |
| | 2001 - 2005 | 13.4 | 11.1 - 15.7 |
| | 2006 - 2010 | 12.4 | 10.3 - 14.5 |
| | 2011 - 2015 | 10.7 | 8.9 - 12.5 |
| | 2016 - 2019 | 12.9 | 10.8 - 15.0 |
| Women | 1996 - 2000 | 9.6 | 7.8 - 11.3 |
| | 2001 - 2005 | 10.1 | 8.4 - 11.8 |
| | 2006 - 2010 | 8.9 | 7.3 - 10.4 |
| | 2011 - 2015 | 8.6 | 7.2 - 10.1 |
| | 2016 - 2019 | 9.5 | 7.8 - 11.2 |
| Men | APC | -0.498 | |
| Women | APC | -0.310 | |

**Age specific rates - 2 last periods compared**

| Age | Men | Men | Women | Women |
|------------|-------------|-------------|-------------|-------------|
| | 2011 - 2015 | 2016 - 2019 | 2011 - 2015 | 2016 - 2019 |
| 0- | 0.0 | 0.0 | 0.0 | 0.0 |
| 5- | 0.0 | 0.0 | 0.0 | 0.0 |
| 10- | 0.0 | 0.0 | 0.0 | 0.0 |
| 15- | 0.0 | 0.0 | 0.0 | 0.0 |
| 20- | 0.0 | 0.0 | 0.0 | 0.0 |
| 25- | 0.0 | 0.0 | 0.0 | 0.0 |
| 30- | 0.0 | 0.0 | 0.0 | 2.6 |
| 35- | 0.0 | 0.0 | 0.0 | 0.0 |
| 40- | 4.4 | 2.1 | 1.5 | 0.0 |
| 45- | 6.6 | 3.5 | 4.1 | 6.9 |
| 50- | 5.9 | 4.9 | 7.5 | 5.0 |
| 55- | 19.4 | 17.3 | 14.1 | 17.2 |
| 60- | 27.5 | 35.0 | 18.6 | 13.6 |
| 65- | 45.3 | 68.4 | 27.6 | 31.0 |
| 70- | 62.6 | 80.4 | 45.7 | 55.2 |
| 75- | 78.0 | 96.0 | 73.1 | 79.0 |
| 80- | 108.1 | 103.7 | 82.7 | 119.7 |
| 85+ | 60.1 | 129.0 | 119.2 | 110.1 |
| Crude rate | 16.8 | 22.2 | 18.4 | 21.5 |

